TECHNICAL DATASHEET

PaperLam TWC1/2/3/4/5/6 Non -PVC

ER**LAM**

1. PRODUCT FEATURES:-

- Wide format for seamless wall decoration
- Water-Proof
- Fire-Proof
- Antibiosis
- Environmentally friendly

2. CHARACTERISTICS:-

Characteristic	Value
Face	250g
Coating	Acrylic resin
Finish	Textured
Area	738 Sft
width	1.37M x 50M
Application	Wall graphics, Wall coverings etc.

3. Physical Characteristics:-

Property	Standard	Testing Results
GSM	ISO534	250g
Thickness	ISO534	300um
Dimensional Stability	FINAT, FTM 14	≤0.1mm
Flammability	DIN 4102-1	B1
Shelf-Life	Under 20° - 25°C temperature and 50±5% relative humidity	5years
Durability (No Printed)	Stored under 1year vertically exposure	

4. Chemecal Characteristics:-Resistant to most mild acids, alkalis, and salt solutions. Data represents average values where applicable and is not intended for specification purposes.



PAPER**lam**

TECHNICAL DATASHEET

5. SHELF LIFE, SHIPPING, AND STORAGE:-

Shelf Life:-

Apply the Products within 2 years of the date of purchase. The storage conditions specified in this document must be maintained for full shelf life.

- Storage Conditions:-
- 40°F 90°F (4°C 32°C).
- Away from direct sunlight and high humidity.
- Clean, dry area.
- Original container with end caps, in the plastic sleeve, stored horizontally, a maximum of 6 cartons high.
- Bring the Product to room temperature before application.

6. INK COMPATIBILITIES:-

Solvent	Eco-Solvent	Latex & UV
\checkmark	\checkmark	\checkmark

7. Warranty:-

- This Warranty applies to the Product listed in this document. All statements, technical
- information (including physical and chemical characteristics) and recommendations about TWC products are based upon tests believed to be reliable.
- All TWC products are sold subject to the Purchaser's assent and agreement that the Purchaser is responsible for, and has independently determined, the suitability of such products for its purposes or its customer's purposes. TWC products are warranted to be free from defects in material and workmanship for two years from the date of manufacture.
- When the product is properly applied, the warranty period is as stated in the product's specific Product Data Sheet in effect at the time of shipment to TWC's customer.
- The time periods are subject in either case to the proper storing and application of said
- product, and the failure to properly store or apply the product, including without limitation the failure to follow any applicable Instructional Bulletin, negates any warranty.
- It is expressly agreed and understood that TWC's sole obligation and Purchaser's exclusive remedy under this warranty, under any other warranty, express or implied, or otherwise, shall be limited exclusively to: (a) repair or replacement of defective product without charge at TWC's plant or at the location of the product (at TWC's election), or (b) in the event repair or replacement are not commercially practical, a credit amount up to the price of the product taking into account the defect in the product in TWC's sole discretion.



PAPER**LAM**

TECHNICAL DATASHEET

8. IMPORTANT REMARKS:-

PAPERLAM Product Statements

- Based on reliable test data, knowledge, and experience.
- Includes average, minimum, and maximum values.
- Information provided without guarantee.
- Contact Storic Enterprise LLP for technical requirements.
- Customers should determine material suitability before use.

9. LIMITATION OF LIABILITY:-

- PAPERLAM disclaims all liability for incidental, special, consequential, direct, and indirect damages.
- Labor, non-PAPERLAM material charges, revenue loss, business possibilities, and goodwill are a few examples of this.
- The limited remedy offered in the PAPERLAM Graphics Warranties Data is the sole exception.
- For specific legal requirements, please refer to applicable laws.

